2

1. A method comprising:

2 receiving video and enhanced content information;

3 storing said video information for subsequent

4 playback in a random access memory; and

5 storing said enhanced content information for

6 subsequent playback.

1 2. The method of claim 1 further including storing

- The method of claim 1 further including storing
 said enhanced content information in a random access
 memory.
- 3. The method of claim 2 including storing said video information and said enhanced content information in a hard disk drive.
 - 4. The method of claim 1 including providing a time code to synchronize said video information with said enhanced content information.
- 5. The method of claim 4 including providing separate packets for video information and the enhanced content information and including a time code in each packet.

1

2

3

4

5

6

7

	/
1	6. The method of claim 4 including providing a
2	packet including video information and enhanced conten
3	information.

- 7. The method of claim 1 including dériving a key frame from said enhanced content information.
- 1 8. The method of claim 7 including deriving a key 2 frame which enables the enhanced content information to be 3 replayed.
 - 9. The method of claim 8 including storing the contents of a web browser buffer.
- 1 10. The method of claim 9 wherein deriving a key 2 frame includes storing a pointer to the stored enhanced 3 content information.
 - 11. An article comprising a medium for storing instructions that cause a processor-based system to:

 receive video and enhanced content information;

 store said video information in a random access memory for subsequent playback; and

 store said enhanced content information for
 - subsequent playback.

3

1

2

3

4

5

- 1 12. The article of claim 11 further storing
 2 instructions that cause a processor-based system to store
 3 said enhanced content information in a random access
 4 memory.
- 1 13. The article of claim 12 further storing
 2 instructions that cause a processor-based system to store
 3 said video information and said enhanced content
 4 information in a hard disk drive.
 - 14. The article of claim 11 further storing instructions that cause a processor-based system to provide a time code to synchronize said video information with said enhanced content information.
 - 15. The article of claim 14 further storing instructions that cause a processor-based system to provide a separate packet for video information and the enhanced content information and to provide a time code for each packet.
- 1 16. The article of claim 14 further storing
 2 instructions that cause a processor-based system to provide
 3 a packet including video information and enhanced content
 4 information.

1	17. The article of claim 11 further storing
2	instructions that cause a processor-based system to derive
3	a software key frame from said enhanced content
4	information.
1	18. The article of claim 17 further storing
2	instructions that cause a processor-based system to derive
3	a software key frame which enables enhanced content
4	information to be replayed.
1	19. The article of claim 18 further storing
2	instructions that cause a processor-based system to store
3	the contents of a web browser buffer.
1	20. The article of claim 19 further storing
2	instructions that cause a processor-based system to store a
3	pointer to the stored enhanced content information.
1	21. A system comprising:
2	a processor; and
3	a random access memory, coupled to said
4	processor, to store video information and enhanced content
5	for replay of any portion of the video information and
6	content information.

2

3

1

2

- 1 22. The system of claim 21 including storage coupled 2 to said processor, said storage storing a program that 3 causes the processor to store video information and 4 enhanced content information for subsequent random access 5 playback.
- 1 23. The system of claim 22 wherein said program 2 causes said enhanced content information to be stored as a 3 software key frame.
- 1 24. The system of claim 23 wherein said program 2 causes said processor to store the contents of a web 3 browser buffer.
 - 25. The system of claim 23 wherein said program causes a processor to derive a software key frame storing a pointer to the stored enhanced content information.
 - 26. The system of claim 21 wherein said random access memory is a hard disk.